

Amendments to the Claims

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims

1-10. (cancelled)

11. (new) A catheter comprising: a first catheter tube having at least two superposed layers of materials, including an inner layer and an outer layer, secured together with a mediator layer, and with mechanical properties differing from one another, a lumen in the first catheter tube, and a balloon sealingly surrounding the first catheter tube, whereby the inner layer comprises high-density polyethylene and forms the lumen, and the outer layer comprises a polymer and forms an outer surface of the first catheter tube.

12. (new) A catheter as in claim 11, wherein the mediator layer comprises low-density polyethylene.

13. (new) A catheter as in claim 11, wherein the outer layer comprises polyamide.

14. (new) A catheter as in claim 11, further comprising: a second catheter tube disposed about the first catheter tube.

15. (new) A catheter as in claim 14, wherein a proximal end of the balloon is connected to a distal end of the second tube, and a distal end of the balloon is connected to a distal end of a first tube.

16. (new) A catheter comprising: a catheter tube having at least two superposed layers of materials, including an inner layer and an outer layer, secured together and with mechanical properties differing from one another, a guidewire lumen in the catheter tube for the sliding fit of a guidewire, and a balloon with a distal end sealingly surrounding the catheter tube, wherein the inner layer comprises high-density polyethylene and forms the guidewire lumen, and the outer layer comprises a polyamide and forms an outer surface of the catheter tube, and wherein the catheter tube further comprises a mediator layer providing adhesive anchorage between the inner layer and the outer layer.

17. (new) A catheter as in claim 16, wherein the mediator layer comprises low-density polyethylene.

18. (new) A catheter comprising:

- (a) a tube comprising:
 - (i) an outermost layer comprising a polymer having a first coefficient of friction;
 - (ii) an innermost layer coextensive with the outermost layer and forming a lumen, the innermost layer comprising a high-density polyethylene having a second coefficient of friction which is less than the first coefficient of friction; and
 - (iii) a middle layer disposed between the outermost layer and the innermost layer and affixing the outermost layer to the innermost layer; and
- (b) a balloon sealed to the tube.

19. (new) The catheter of claim 18, wherein the middle layer comprises low-density polyethylene.

20. (new) A catheter comprising:

(a) a first tube comprising:

(i) an outermost layer comprising a polymer having a first coefficient of friction;

(ii) an innermost layer coextensive with the outermost layer and forming a lumen, the innermost layer comprising a high-density polyethylene having a second coefficient of friction which is less than the first coefficient of friction; and

(iii) a middle layer disposed between the outermost layer and the innermost layer and affixing the outermost layer to the innermost layer;

(b) a second tube disposed about a portion of the first tube; and

(c) a balloon with a distal end sealingly surrounding the first tube and a proximal end sealingly surrounding the second tube.

21. (new) The catheter of claim 20, wherein the middle layer comprises low-density polyethylene.